

SHANGHAI KINGDOM INTERNATIONAL TRADE CO., LTD.

DEDICATED TO INCREASING YOUR EFFICIENCY



SHEARING MACHINE

QC11Y/K SERIES HYDRAULIC SHEARING MACHINE



I. Brief Introduction:

- 1, Sheet plate welded structure is adopted, with hydraulic transmission and accumulator return, typical of an easy operation, reliable performance, and nice appearance.
- 2, Indication by indicator is provided for adjustment of blade clearance, for a handy and prompt adjustment.
- 3, Alignment device with lighting and control device for shearing stoke bar and to reduce frictional resistance.
- 4, Rolling material support ball is provided, to minimize fish tail with sheet bar and to reduce frictional resistance.
- 5, Rear stopper is fitted with electric adjustment and manual adjustment devices, and digital device is available for display if size of stopper and times of shearing
- 6, Rear stopper is fitted with coder and digital display system, So that the position of rear stopper is displayed more accurately, thus to further enhance the shearing precision if this machine.

II. Main Features















		. Tec	hnical	Paramet	ter
--	--	-------	--------	---------	-----

I. Tech	inical Par						
Model	Shearing	Shearing	Stroke	Max	Throat	Electric	Machine Dimension
QCY11-	capacity	Angle	per min	Back Gauge	Depth	Power	(L x W x H)
	(T x W)	(°)	1	Length	(mm)	(kW)	
4 x 2500	4 x 2500	0.5~1.5	14~24	500	130	4	2960 x 1380 x 1850
4 x 3200	4 x 3200	0.5~1.5	12~21	500	130	7.5	3600 x 1650 x 2050
4 x 4000	4 x 4000	0.5~1.5	8~14	500	130	7.5	4500 x 1900 x 2200
4 x 5000	4 x 5000	0.5~1.5	5~10	750	100	7.5	5700 x 2100 x 2650
6 x 2500	6 x 2500	0.5~1.5	14~24	500	130	7.5	2900 x 1600 x 1950
6 x 3200	6 x 3200	0.5~1.5	13~22	500	130	7.5	3900 x 1520 x 2100
6 x 4000	6 x 4000	0.5~1.5	8~15	500	130	7.5	4700 x 1770 x 2200
6 x 6000	6 x 6000	0.5~2	5~10	750	100	11	6800 x 1900 x 2550
8 x 2500	8 x 2500	0.5~2	14~24	500	130	7.5	3150 x 1580 x 2050
8 x 3200	8 x 3200	0.5~2	12~21	500	130	7.5	3900 x 1700 x 2150
8 x 4000	8 x 4000	0.5~2	8~14	500	130	11	4700 x 1840 x 2350
8 x 6000	8 x 6000	0.5~2	5~10	750	100	11	6800 x 2100 x 2750
8 x 8000	8 x 8000	0.5~2	5~8	900	100	18.5	8800 x 2400 x 3000
10 x 2500	10 x 2500	0.5~2	12~24	500	130	11	3150 x 1670 x 2150
10 x 3200	10 x 3200	0.5~2	10~18	500	130	11	3900 x 1730 x 2250
10 x 4000	10 x 4000	0.5~2	7~12	750	130	18.5	4750 x 1900 x 2450
10 x 6000	10 x 6000	0.5~2	5~10	750	100	18.5	6950 x 2200 x 2900
10 x 8000	10 x 8000	0.5~2	4~8	900	100	30	8950 x 2500 x 3150
12 x 2500	12 x 2500	0.5~2.5	10~18	750	130	18.5	3250 x 1800 x 2280
12 x 3200	12 x 3200	0.5~2.5	9~18	750	130	18.5	3950 x 1870 x 2350
12 x 4000	12 x 4000	0.5~2.5	7~12	750	130	18.5	4800 x 1970 x 2550
12 x 6000	12 x 6000	0.5~2.5	5~10	750	100	30	7000 x 2250 x 3000
12 x 8000	12 x 8000	0.5~2.5	4~9	900	100	37	9000 x 2500 x 3300
16 x 2500	16 x 2500	0.5~2.5	9~16	750	100	18.5	3290 x 1890 x 2400
16 x 3200	16 x 3200	0.5~2.5	8~13	750	100	18.5	3970 x 1920 x 2520
16 x 4000	16 x 4000	0.5~2.5	9~12	750	100	30	4850 x 1890 x 2750
16 x 6000	16 x 6000	0.5~2.5	5~10	900	100	37	7100 x 2460 x 2920
16 x 8000	16 x 8000	0.5~2.5	4~9	900	100	37	9000 x 2650x 3400
16 x 9000	16 x 9000	0.5~2.5	3~8	900	100	45	10000 x 3260 x 3950
20 x 2500	20 x 2500	0.5~2.5	8~16	750	130	30	3350 x 2050 x 2500
20 x 3200	20 x 3200	0.5~2.5	5~14	750	130	30	4100 x 2080 x 2550
20 x 4000	20 x 4000	0.5~3	5~12	750	100	30	4900 x 2200 x 2800
20 x 6000	20 x 6000	0.5~3	4~8	900	100	37	7100 x 2600 x 3250
20 x 9000	20 x 9000	0.5~2.5	3~7	900	100	55	10050 x 3350 x 4000
25 x 2500	25 x 2500	0.5~3	6~14	900	100	37	3500 x 2150 x 2600
25 x 3200	25 x 3200	0.5~3	5~11	900	100	37	4100 x 2150 x 2650
25 x 4000	25 x 4000	0.5~3	5~10	900	100	37	4900 x 2280 x 2900
25 x 6000	25 x 6000	0.5~3	4~8	900	100	45	7100 x 2680 x 3350



30 x 2500	30 x 2500	0.5~3.5	5~11	900	100	45	3700 x 2570 x 3100
30 x 3200	30 x 3200	0.5~3.5	5~9	900	100	45	4400 x 2800 x 3250
30 x 4000	30 x 4000	0.5~3.5	4~9	900	100	55	5200 x 3000 x 3400
30 x 6000	30 x 6000	0.5~3.5	4~8	900	100	55	7100 x 3000 x 3600
40 x 2500	40 x 2500	0.5~4	4~11	900	100	55	3950 x 3020 x 3300

Remarks:

1. **Minimum Order Quantity**: 1.

2. **Payment Terms Warranty**: 30% deposit in advance by T/T, the remaining should be paid before shipping.

3. **Delivery time:** 30 days on the confirmation of the order.

4. **Package**: film protective package.



Workshop




Packing

















About Us

Shanghai Kingdom International Trade Co., Ltd. (SKITC), with the merit of being adjacent to Shanghai International Financial Center and Shanghai International Shipping Center, aims at providing highly efficient metal processing solutions through our local factories in China. Products from SKITC include hydraulic ironworkers, punching machines, bending machines, cranes et al., which have strong customer base and excellent evaluation from customers in Asia, Africa and Latin-America.

SKITC has developed long term cooperation with a number of universities and research institutes in China. SKITC has world class teams for R&D and services. Most R&D team members have Ph.D. degree or M.S. degree in top universities in China. Team members are proficient in mechanical design, manufacturing and energy saving. SKITC can provide customized solutions, including product design, function optimization and cost reduction, according to customers' needs. The purpose of our work is to improve customers' production efficiency. Our excellent design capabilities enable our products leading in industry. Our elite teams can provide customers with professional, customized, and all-round services around the clock.

By believing the philosophy of "dedicated to increasing your efficiency" and having elite teams in R&D and services, we would like to cooperate with elites from all over the world, provide world class facilities for our customers and promote the development of foreign trade together.

