

SHANGHAI KINGDOM INTERNATIONAL TRADE CO., LTD.

DEDICATED TO INCREASING YOUR EFFICIENCY



SHEARING MACHINE



QC12Y/K SERIES HYDRAULIC SHEARING MACHINE



I. Brief Introduction:

- 1, Sheet plate welded structure is adopted, with hydraulic transmission and accumulator return, typical of an easy operation, reliable performance, and nice appearance.
- 2, Indication by indicator is provided for adjustment of blade clearance, for a handy and prompt adjustment.
- 3, Alignment device with lighting and control device for shearing stoke bar and to reduce frictional resistance.
- 4, Rolling material support ball is provided, to minimize fish tail with sheet bar and to reduce frictional resistance.
- 5, Rear stopper is fitted with electric adjustment and manual adjustment devices, and digital device is available for display if size of stopper and times of shearing
- 6, Rear stopper is fitted with coder and digital display system, So that the position of rear stopper is displayed more accurately, thus to further enhance the shearing precision if this machine.

II. Main Features

















I. Technical Parameter

Model	Shearing size	Shearing Angle	Max. Stroke	Back Gauge Range	Electric Power	Machine Dimension (L x W x H)
	(T x W)	(°)			(kW)	
4 x 2500	4 x 2500	1.5	18	20-500	4	2960 x 1380 x 1500
4 x 3200	4 x 3200	1.5	14	20-600	7.5	3600 x 1650 x 1620
4 x 4000	4 x 4000	1.5	12	20-600	7.5	4500 x 1900 x 1800
4 x 5000	4 x 5000	1.5	10	20-600	7.5	5700 x 2100 x 2200
6 x 2500	6 x 2500	1.5	16	20-600	7.5	2900 x 1600 x 1620
6 x 3200	6 x 3200	1.5	14	20-600	7.5	3700 x 1650 x 1680
6 x 4000	6 x 4000	1.5	12	20-600	7.5	4500 x 1900 x 1800
6 x 6000	6 x 6000	1.5	8	20-600	11	6700 x 2200 x 2200
8 x 2500	8 x 2500	1.5	14	20-600	11	2960 x 1650 x 1700
8 x 3200	8 x 3200	1.5	12	20-600	11	3700 x 1650 x 1700
8 x 4000	8 x 4000	1.5	8	20-600	11	4480 x 1800 x 1700
8 x 5000	8 x 5000	1.5	6	20-600	11	5700 x 2250 x 2310
10 x 2500	10 x 2500	1.5	10	20-600	11	3200 x 1800 x 1700
10 x 3200	10 x 3200	1.5	10	20-600	11	3900 x 1950 x 1900
10 x 4000	10 x 4000	1.5	8	20-600	18.5	4700 x 2200 x 2100
10 x 6000	10 x 6000	1.5	6	20-600	18.5	6700 x 2500 x 2450
12 x 2500	12 x 2500	1°40′	11	20-600	15	3200 x 2060 x 1960
12 x 3200	12 x 3200	1°40′	10	20-600	18.5	3900 x 2127 x 2100
12 x 4000	12 x 4000	1.75	8	20-600	18.5	4700 x 2250 x 2100
12 x 6000	12 x 6000	1.75	5	20-600	22	6700 x 2700 x 2750
12 x 8000	12 x 8000	1.75	5	20-600	22	9100 x 3400 x 2900
16 x 2500	16 x 2500	2.5	8	20-600	18.5	2900 x 2127 x 2000
16 x 3200	16 x 3200	2.5	7	20-600	22	4000 x 2400 x 2100
16 x 4000	16 x 4000	2.5	6	20-600	22	4700 x 2500 x 2300
16 x 6000	16 x 6000	2.5	6	20-600	30	6700 x 3300 x 2750
20 x 2500	20 x 2500	2.5	6	20-600	30	3200 x 2450 x 2150
20 x 3200	20 x 3200	2.5	5	20-600	30	3900 x 2500 x 2200
20 x 4000	20 x 4000	2.5	4	20-600	37	4800 x 2600 x 2400
20 x 6000	20 x 6000	2.5	4	20-600	37	6700 x 3200 x 2860
25 x 2500	25 x 2500	3	4	20-600	37	3500 x 3000 x 2300

Remarks:

- 1. Minimum Order Quantity: 1.
- 2. **Payment Terms Warranty**: 30% deposit in advance by T/T, the remaining should be paid before shipping.
- 3. **Delivery time:** 30 days on the confirmation of the order.
- 4. **Package**: film protective package.



Workshop




Packing

















About Us

Shanghai Kingdom International Trade Co., Ltd. (SKITC), with the merit of being adjacent to Shanghai International Financial Center and Shanghai International Shipping Center, aims at providing highly efficient metal processing solutions through our local factories in China. Products from SKITC include hydraulic ironworkers, punching machines, bending machines, cranes et al., which have strong customer base and excellent evaluation from customers in Asia, Africa and Latin-America.

SKITC has developed long term cooperation with a number of universities and research institutes in China. SKITC has world class teams for R&D and services. Most R&D team members have Ph.D. degree or M.S. degree in top universities in China. Team members are proficient in mechanical design, manufacturing and energy saving. SKITC can provide customized solutions, including product design, function optimization and cost reduction, according to customers' needs. The purpose of our work is to improve customers' production efficiency. Our excellent design capabilities enable our products leading in industry. Our elite teams can provide customers with professional, customized, and all-round services around the clock.

By believing the philosophy of "dedicated to increasing your efficiency" and having elite teams in R&D and services, we would like to cooperate with elites from all over the world, provide world class facilities for our customers and promote the development of foreign trade together.

